

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(6175917 7447801).pn.	US-PGPUB; USPAT	OR	ON	2010/04/09 15:46
L2	2	(6175917 7447801).pn. and (key or symm\$10 or common or des or aes)	US-PGPUB; USPAT	OR	ON	2010/04/09 15:51
L3	2	(6175917 7447901).pn. and (key or symm\$10 or common or des or aes)	US-PGPUB; USPAT	OR	ON	2010/04/09 15:52
L4	2	(6175917 7447901).pn. and (encrypted)	US-PGPUB; USPAT	OR	ON	2010/04/09 16:41
L5	2	(6175917 7447901).pn. and (encrypt\$5)	US-PGPUB; USPAT	OR	ON	2010/04/09 16:41
L6	2	(6175917 7447901).pn. and (encrypt\$5 with (communication\$2 or message or request or reply))	US-PGPUB; USPAT	OR	ON	2010/04/09 16:41
L7	0	(6175917 7447901).pn. and (inquir\$5 or query\$5)	US-PGPUB; USPAT	OR	ON	2010/04/09 16:51
L8	2	(6175917 7447901).pn. and (inquir\$5 or query\$5 or request or (response or reply))	US-PGPUB; USPAT	OR	ON	2010/04/09 16:51
L9	2	(6175917 7447901).pn. and (inquir\$5 or query\$5 or request or (response or reply) or synro\$10)	US-PGPUB; USPAT	OR	ON	2010/04/09 16:51
S1	2	"SAKAI, MASANAO"	US-PGPUB; USPAT	OR	ON	2007/08/22 15:24
S2	1	S1 and (ipsec)	US-PGPUB; USPAT	OR	ON	2007/01/08 14:42
S3	1452	@ad<"20020911" and (ipsec)	US-PGPUB; USPAT	OR	ON	2007/01/08 14:11
S4	565	@ad<"20020911" and ((network near2 security) and ipsec)	US-PGPUB; USPAT	OR	ON	2007/01/08 14:11
S5	141	@pd<"20020911" and ((network near2 security) and ipsec)	US-PGPUB; USPAT	OR	ON	2007/01/09 11:10
S6	30	@pd<"20020911" and ((network near2 security) same ipsec)	US-PGPUB; USPAT	OR	ON	2007/01/09 09:51
S7	1	"6523894".pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 14:41

S8	0	"69315729".pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 14:41
S9	1	"6931529".pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 14:41
S10	0	"09718041".pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 14:43
S11	0	"09718041".pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 14:43
S12	0	"69860611".pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 14:44
S13	1	"6986061".pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 14:51
S14	1	"6175917".pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 14:52
S15	0	"6175917".pn. and (ipsec)	US-PGPUB; USPAT	OR	ON	2007/01/08 14:54
S16	1	"6175917".pn. and (tcp or ip)	US-PGPUB; USPAT	OR	ON	2007/01/08 15:00
S17	1	"6931529".pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 14:58
S18	1	"6931529".pn. and (ip)	US-PGPUB; USPAT	OR	ON	2007/01/08 14:58
S19	0	"6175917".pn. and (tcp)	US-PGPUB; USPAT	OR	ON	2007/01/08 15:01
S20	1	"6175917".pn. and (tunnel \$4)	US-PGPUB; USPAT	OR	ON	2007/01/08 15:08
S21	2	(6175917 6931529).pn.	US-PGPUB; USPAT	OR	ON	2007/01/08 15:08
S22	2	(6175917 6931529).pn. and (key)	US-PGPUB; USPAT	OR	ON	2007/01/08 16:13
S23	2	(6175917 6931529).pn. and (protocol)	US-PGPUB; USPAT	OR	ON	2007/01/08 16:37
S24	1	(6175917 6931529).pn. and (station)	US-PGPUB; USPAT	OR	ON	2007/01/08 16:54
S25	0	(6175917 6931529).pn. and (notify\$3 or notificat\$5)	US-PGPUB; USPAT	OR	ON	2007/01/08 17:04
S26	2	(6175917 6931529).pn. and (config\$9 or reconfig\$9)	US-PGPUB; USPAT	OR	ON	2007/01/08 17:06
S27	2	(6175917 6931529).pn. and (key same authenticat\$5 same encrypt\$5)	US-PGPUB; USPAT	OR	ON	2007/01/09 08:58
S28	0	(6175917 6931529).pn. and (judg\$4 or inquir\$5)	US-PGPUB; USPAT	OR	ON	2007/01/09 08:59
S29	2	(6175917 6931529).pn. and (config\$6 or parameter\$3)	US-PGPUB; USPAT	OR	ON	2007/01/09 09:18
S30	1	(6175917 6931529).pn. and (reconfig\$9)	US-PGPUB; USPAT	OR	ON	2007/01/09 09:21
S31	1	(6175917 6931529).pn. and (station)	US-PGPUB; USPAT	OR	ON	2007/01/09 10:32

S32	1	@pd<"20020911" and ((network near2 security) same ipsec) and (inquir\$4)	US-PGPUB; USPAT	OR	ON	2007/01/09 09:52
S33	0	@pd<"20020911" and ((network near2 security) same ipsec) and (inquir\$4) and spd and sad	US-PGPUB; USPAT	OR	ON	2007/01/09 09:53
S34	0	@pd<"20030911" and ((network near2 security) same ipsec) and (inquir\$4) and spd and sad	US-PGPUB; USPAT	OR	ON	2007/01/09 09:53
S35	2	@pd<"20020911" and (ipsec) and (inquir\$4) and spd and sad	US-PGPUB; USPAT	OR	ON	2007/01/09 10:31
S36	1	"20010042201"	US-PGPUB; USPAT	OR	ON	2007/01/09 11:20
S37	1	"20010042201" and (request \$3)	US-PGPUB; USPAT	OR	ON	2007/01/09 10:31
S38	2	((("6175917").pn. "20010042201") and (request \$3)	US-PGPUB; USPAT	OR	ON	2007/01/09 11:09
S39	40265	nec	US-PGPUB; USPAT	OR	ON	2007/01/09 11:09
S40	141	@pd<"20020911" and ((network near2 security) and ipsec)	US-PGPUB; USPAT	OR	ON	2007/01/09 11:10
S41	1	S40 and 713/1.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:10
S42	0	S40 and 713/2.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:10
S43	0	S40 and 713/188.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:10
S44	0	S40 and 713/194.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:10
S45	0	S40 and 380/200.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:10
S46	0	S40 and 380/201.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:11
S47	4	S40 and 380/255.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:11
S48	2	S40 and 380/277.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:11
S49	1	S40 and 726/2.ccls.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:18
S50	3	"665372".ap.	US-PGPUB; USPAT	OR	ON	2007/01/09 11:18
S51	6	"665372".ap.	US-PGPUB; USPAT	OR	ON	2007/08/23 10:43
S52	1	"6175917".pn. and (station)	US-PGPUB; USPAT	OR	ON	2007/08/23 10:46

S53	1	"6175917".pn. and (station or rule or polic\$4)	US-PGPUB; USPAT	OR	ON	2007/08/23 10:46
S54	1	"20040093524"	US-PGPUB; USPAT	OR	ON	2008/03/13 10:08
S55	1	"20040093524" and (software or program or signal or carrier or wave)	US-PGPUB; USPAT	OR	ON	2008/03/13 11:40
S56	2	"6175917".pn. or "20010042201"	US-PGPUB; USPAT	OR	ON	2008/03/13 13:37
S57	2	S56 and (polic\$5 or rule)	US-PGPUB; USPAT	OR	ON	2008/03/13 13:37
S58	1	S56 and (system near manager)	US-PGPUB; USPAT	OR	ON	2008/03/13 13:54
S59	2	"6175917".pn. or "20010042201"	US-PGPUB; USPAT	OR	ON	2008/03/13 15:03
S60	2	S59 and (request)	US-PGPUB; USPAT	OR	ON	2008/03/13 15:03
S61	1	"20040093524"	US-PGPUB; USPAT	OR	ON	2008/07/29 13:57
S62	0	"41604951".pn.	US-PGPUB; USPAT	OR	ON	2008/07/29 14:26
S63	0	"41604951".ap.	US-PGPUB; USPAT	OR	ON	2008/07/29 14:26
S64	4	"604951".ap.	US-PGPUB; USPAT	OR	ON	2008/07/29 14:26
S65	7	"419665".ap.	US-PGPUB; USPAT	OR	ON	2008/07/29 14:28
S66	1	"5880769".pn.	US-PGPUB; USPAT	OR	ON	2008/07/29 14:28
S67	0	"5880769".pn. and (ssd)	US-PGPUB; USPAT	OR	ON	2008/07/29 14:29
S68	1	"5880769".pn. and (wireless)	US-PGPUB; USPAT	OR	ON	2008/07/29 14:30
S69	53	"04915"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 14:37
S70	1	"6175917".pn.	US-PGPUB; USPAT	OR	ON	2008/07/29 15:35
S71	1	"6175917".pn. and (polic\$4 or rul\$3)	US-PGPUB; USPAT	OR	ON	2008/07/29 15:35
S72	6	"655372".ap.	US-PGPUB; USPAT	OR	ON	2008/11/25 10:24
S73	1	"20040093524"	US-PGPUB; USPAT	OR	ON	2008/11/25 10:28
S74	1	"20040093524" and (request)	US-PGPUB; USPAT	OR	ON	2008/11/25 10:28

S75	1	"20040093524" and (request and reply\$3)	US-PGPUB; USPAT	OR	ON	2008/11/25 10:28
S76	2	"20010042201" or "6175917". pn.	US-PGPUB; USPAT	OR	ON	2008/11/25 10:31
S77	2	S76 and (request\$3)	US-PGPUB; USPAT	OR	ON	2008/11/25 10:31
S78	1	S76 and (request\$3 and reply \$4)	US-PGPUB; USPAT	OR	ON	2008/11/25 10:31
S79	5	(@ad<"20020911" or @rlad<"20020911") and (IPsec near setting)	US-PGPUB; USPAT	OR	ON	2009/02/24 09:34
S80	9	(@ad<"20020911" or @rlad<"20020911") and (((IPsec or vpn) near setting) same (request))	US-PGPUB; USPAT	OR	ON	2009/02/24 09:42
S81	17	(@ad<"20020911" or @rlad<"20020911") and (((IPsec or vpn) near2 setting) same (request))	US-PGPUB; USPAT	OR	ON	2009/02/24 09:42
S82	36	(@ad<"20020911" or @rlad<"20020911") and (((IPsec or vpn) near2 (setting or management)) same (request))	US-PGPUB; USPAT	OR	ON	2009/02/24 09:43
S83	11	(@ad<"20020911" or @rlad<"20020911") and (((IPsec or vpn) near2 (setting or management)) same (request) same (response\$3 or reply\$3))	US-PGPUB; USPAT	OR	ON	2009/02/24 09:44
S84	2	"20010042201" or "7068640". pn.	US-PGPUB; USPAT	OR	ON	2009/02/24 10:05
S85	2	S84 and (vpn or ipsec or sett \$5 or manag\$10 or request or response\$3 or reply\$5)	US-PGPUB; USPAT	OR	ON	2009/02/24 10:07
S86	2	S84 and (vpn or ipsec or sett \$5 or manag\$10 or request or response\$3 or reply\$5 or inquir\$5 or spd or sad)	US-PGPUB; USPAT	OR	ON	2009/02/24 10:08
S87	216	(@ad<"20020911" or @rlad<"20020911") and (ipsec near3 set\$5)	US-PGPUB; USPAT	OR	ON	2009/02/24 10:47
S88	9	(@ad<"20020911" or @rlad<"20020911") and (ipsec near3 set\$5 near3 (step\$3 or sequenc\$5 or method or procedure))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:48
S89	69	(@ad<"20020911" or @rlad<"20020911") and (ipsec or vpn) near3 (polic\$3 or rule) near3 (set\$8)	US-PGPUB; USPAT	OR	ON	2009/02/24 10:50

S90	90	((@ad<"20020911" or @rlad<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rule or parameter\$3) near3 (set\$8)))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:51
S91	2	((@ad<"20020911" or @rlad<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rule or parameter\$3) near3 (set\$8)) same (source or originator) same (target or destinat\$5))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:52
S92	2	((@ad<"20020911" or @rlad<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near3 (set\$8)) same (source or originator) same (target or destinat\$5))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:52
S93	6	((@ad<"20020911" or @rlad<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near3 (set\$8 or manag\$8)) same (source or originator) same (target or destinat\$5))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:52
S94	7	((@ad<"20020911" or @rlad<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near3 (set\$8 or manag\$8)) same (source or originator or first) same (target or destinat\$5 or second\$3 or opposite or another or other))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:53
S95	7	((@ad<"20020911" or @rlad<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near3 (set\$8 or manag\$8)) same (source or origina\$5 or first) same (target or destinat\$5 or second\$3 or opposite or another or other))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:53
S96	11	((@ad<"20020911" or @rlad<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near3 (set\$8 or manag\$8 or negotiat\$5 or handshak\$5)) same (source or origina\$5 or first) same (target or destinat\$5 or second\$3 or opposite or another or other))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:56

S97	151	((@ad<"20020911" or @rld<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near3 (set\$8 or manag\$8 or negotiat\$5 or handshak\$5)) and(source or origina\$5 or first) and (target or destinat\$5 or second\$3 or opposite or another or other))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:57
S98	149	((@ad<"20020911" or @rld<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near3 (set\$8 or manag\$8 or negotiat\$5 or handshak\$5)) and((source or origina\$5 or first) same (target or destinat\$5 or second\$3 or opposite or another or other))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:57
S99	165	((@ad<"20020911" or @rld<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near5 (set\$8 or manag\$8 or negotiat\$5 or handshak\$5)) and((source or origina\$5 or first) same (target or destinat\$5 or second\$3 or opposite or another or other))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:58
S100	19	((@ad<"20020911" or @rld<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near5 (set\$8 or manag\$8 or negotiat\$5 or handshak\$5)) same((source or origina\$5 or first) same (target or destinat\$5 or second\$3 or opposite or another or other))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:58
S101	46	((@ad<"20020911" or @rld<"20020911") and ((ipsec or vpn) near3 (poli\$3 or rul\$3 or parameter\$3) near5 (set\$8 or manag\$8 or negotiat\$5 or handshak\$5)) same((source or origina\$5 or first or agent or unit proxy or gateway) same (target or destinat\$5 or second\$3 or opposite or another or other))	US-PGPUB; USPAT	OR	ON	2009/02/24 10:59
S102	3	"6678827".pn. or "20050193103" or "20040181690"	US-PGPUB; USPAT	OR	ON	2009/02/24 13:56

S103	3	S102 and (request\$5 or respon\$5 or reply\$5 or source or origin\$6 or target \$5 or destinat\$5)	US-PGPUB; USPAT	OR	ON	2009/02/24 13:56
S104	3	S102 and (messag\$3 or request\$5 or respon\$5 or reply\$5 or source or origin\$6 or target\$5 or destinat\$5)	US-PGPUB; USPAT	OR	ON	2009/02/24 13:57
S105	3	S102 and (messag\$3 or packet\$5 or request\$5 or respon\$5 or reply\$5 or source or origin\$6 or target \$5 or destinat\$5)	US-PGPUB; USPAT	OR	ON	2009/02/24 13:57
S106	1	"6678827".pn.	US-PGPUB; USPAT	OR	ON	2009/02/24 14:08
S107	0	"6678827".pn. and (ipsec)	US-PGPUB; USPAT	OR	ON	2009/02/24 14:08
S108	1	"6175917".pn. and (request \$5 or respon\$5 or reply\$5)	US-PGPUB; USPAT	OR	ON	2009/02/24 14:34
S109	1	"6175917".pn. and (key)	US-PGPUB; USPAT	OR	ON	2009/02/24 15:06
S110	1	"6175917".pn. and (source same destinat\$5)	US-PGPUB; USPAT	OR	ON	2009/02/24 15:12
S111	1	"6175917".pn. and (respon \$5)	US-PGPUB; USPAT	OR	ON	2009/02/24 15:16
S112	1	"6678827".pn.	US-PGPUB; USPAT	OR	ON	2009/02/24 15:23
S113	1	"6678827".pn. and (vpn or ipsec)	US-PGPUB; USPAT	OR	ON	2009/02/24 15:23
S114	1	"6678827".pn. and (request \$3)	US-PGPUB; USPAT	OR	ON	2009/02/24 15:28
S115	1	"6678827".pn. and (request \$3 same super\$10)	US-PGPUB; USPAT	OR	ON	2009/02/24 15:29
S116	1	"6175917".pn. and (dynamic \$5)	US-PGPUB; USPAT	OR	ON	2009/02/24 15:49
S117	1	"6175917".pn. and (request \$4)	US-PGPUB; USPAT	OR	ON	2009/02/24 17:11
S118	1	"20040093524"	US-PGPUB; USPAT	OR	ON	2009/08/03 11:03
S119	1	"20040093524" and (des)	US-PGPUB; USPAT	OR	ON	2009/08/03 11:40
S120	0	"20040093524" and (symme \$10 or asymme\$10)	US-PGPUB; USPAT	OR	ON	2009/08/03 11:45
S121	0	"20040093524" and (syme \$10)	US-PGPUB; USPAT	OR	ON	2009/08/03 11:46
S122	1	"20040093524"	US-PGPUB; USPAT	OR	ON	2009/08/03 13:59
S123	1	"20040093524" and (reply)	US-PGPUB; USPAT	OR	ON	2009/08/03 13:59
S124	0	"20040093524" and (reply with second)	US-PGPUB; USPAT	OR	ON	2009/08/03 13:59

S125	1	"20040093524" and (request \$3)	US-PGPUB; USPAT	OR	ON	2009/08/03 14:01
S126	1	"20040093524" and (request \$3) and (reply\$3) and (common near3 key)	US-PGPUB; USPAT	OR	ON	2009/08/03 14:09
S127	98514	(@ad<"20020911" or @rlad<"20020911") and (request with (first or source or origina\$5))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:13
S128	58928	(@ad<"20020911" or @rlad<"20020911") and (request with (first or source or origina\$5)) and (request with (second\$3 or target or opposite or destina\$4))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:14
S129	46415	(@ad<"20020911" or @rlad<"20020911") and (request with (first or source or origina\$5)) same (request with (second\$3 or target or opposite or destina\$4))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:14
S130	21103	(@ad<"20020911" or @rlad<"20020911") and (request near5 (first or source or originator)) same (request near4 (second\$3 or target or opposite or destina\$4))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:15
S131	23313	(@ad<"20020911" or @rlad<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:15
S132	139	(@ad<"20020911" or @rlad<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same (transmit\$5 with (key))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:16
S133	261	(@ad<"20020911" or @rlad<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same ((transmit\$5 or send\$4 or distribut\$4) with (key))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:16

S134	173	((@ad<"20020911" or @rlad<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same ((transmit\$5 or send\$4 or distribut\$4) with (key) with (first) with (second)))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:18
S135	188	((@ad<"20020911" or @rlad<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same ((transmit\$5 or send\$4 or distribut\$4) with (key) with (first or source or originator) with (second\$3 or target or opposite or destina\$4)))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:18
S136	78	((@ad<"20020911" or @rlad<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same (reply or response) same ((transmit\$5 or send\$4 or distribut\$4) with (key) with (first or source or originator) with (second\$3 or target or opposite or destina\$4)))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:19
S137	188	((@ad<"20020911" or @rlad<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same ((transmit\$5 or send\$4 or distribut\$4) with (key) with (first or source or originator) with (second\$3 or target or opposite or destina\$4)))	US-PGPUB; USPAT	OR	ON	2009/08/03 14:54

S138	175	(@ad<"20020911" or @rld<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same ((transmit\$5 or send\$4 or distribut\$4) with (key) with (first or source or originator) with (second\$3 or target or opposite or destina\$4)) and (setting or config\$9 or manag\$9)	US-PGPUB; USPAT	OR	ON	2009/08/03 14:54
S139	54	(@ad<"20020911" or @rld<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same ((transmit\$5 or send\$4 or distribut\$4) with (key) with (first or source or originator) with (second\$3 or target or opposite or destina\$4)) same (setting or config\$9 or manag\$9)	US-PGPUB; USPAT	OR	ON	2009/08/03 14:55
S140	85	(@ad<"20020911" or @rld<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same ((transmit\$5 or send\$4 or distribut\$4) with (key) with (first or source or originator) with (second\$3 or target or opposite or destina\$4)) same (setting or config\$9 or manag\$9 or control\$5)	US-PGPUB; USPAT	OR	ON	2009/08/03 14:56
S141	6	"498045".ap.	US-PGPUB; USPAT	OR	ON	2009/08/03 15:40
S142	300	"SAITO, MAKOTO" "TOKUNAGA, OSAMU" "MIYAKAWA, SHIN"	US-PGPUB; USPAT	OR	ON	2009/08/03 15:43
S143	187	S142 and (first same second)	US-PGPUB; USPAT	OR	ON	2009/08/03 15:44
S144	32	S142 and (first same second same request same key)	US-PGPUB; USPAT	OR	ON	2009/08/03 15:44
S145	92	(@ad<"20020911" or @rld<"20020911") and (vpn or ipsec) near3 (set\$5 or config\$9 or manag\$9) near (server)	US-PGPUB; USPAT	OR	ON	2009/08/03 15:57

S146	36	(@ad<"20020911" or @rld<"20020911") and (vpn or ipsec) near2 (set\$5 or config\$9 or manag\$9) near (server)	US-PGPUB; USPAT	OR	ON	2009/08/03 15:58
S147	46	(@ad<"20020911" or @rld<"20020911") and (vpn or ipsec) near2 (set\$5 or config\$9 or manag\$9 or control\$5) near (server)	US-PGPUB; USPAT	OR	ON	2009/08/03 15:58
S148	51	(@ad<"20020911" or @rld<"20020911") and (vpn or ipsec) near2 (set\$5 or config\$9 or manag\$9 or control\$5) near (server or station)	US-PGPUB; USPAT	OR	ON	2009/08/03 15:58
S149	38	(@ad<"20020911" or @rld<"20020911") and (vpn or ipsec) near2 (set\$5 or config\$9 or manag\$9 or control\$5) near (server or station) and (key)	US-PGPUB; USPAT	OR	ON	2009/08/03 15:59
S150	85	(@ad<"20020911" or @rld<"20020911") and (request near5 (first or source or originator)) same (request near5 (second\$3 or target or opposite or destina\$4)) same ((transmit\$5 or send\$4 or distribut\$4) with (key) with (first or source or originator) with (second\$3 or target or opposite or destina\$4)) same (setting or config\$9 or manag\$9 or control\$5)	US-PGPUB; USPAT	OR	ON	2009/08/03 16:11
S151	209	(@ad<"20020911" or @rld<"20020911") and ((request or message) near5 (first or source or originator)) same ((request or message) near5 (second\$3 or target or opposite or destina\$4)) same ((transmit\$5 or send\$4 or distribut\$4) with (key) with (first or source or originator) with (second\$3 or target or opposite or destina\$4)) same (setting or config\$9 or manag\$9 or control\$5)	US-PGPUB; USPAT	OR	ON	2009/08/03 16:11
S152	124	S151 not S150	US-PGPUB; USPAT	OR	ON	2009/08/03 16:12

S153	17	(@ad<"20020911" or @rlad<"20020911") and (vpn or ipsec) adj (set\$5 or config\$9 or manag\$9 or control\$5) adj (server or station)	US-PGPUB; USPAT	OR	ON	2009/08/03 16:30
S154	6	vpnnet and (@ad<"20020911" or @rlad<"20020911") and (set \$5 or config\$9 or manag\$9 or control\$5) adj (server or station)	US-PGPUB; USPAT	OR	ON	2009/08/03 16:41
S155	1	"7440452".pn.	US-PGPUB; USPAT	OR	ON	2009/08/03 17:02
S156	1	"7440452".pn. and (manag \$6)	US-PGPUB; USPAT	OR	ON	2009/08/03 17:03
S157	1	"7440452".pn. and (manag \$6 near server)	US-PGPUB; USPAT	OR	ON	2009/08/03 17:03
S158	1	"7440452".pn. and (session near key)	US-PGPUB; USPAT	OR	ON	2009/08/04 09:43
S159	1	"7440452".pn. and (request \$5 or message or reply\$6 or notic\$9)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:08
S160	1	"20050193103"	US-PGPUB; USPAT	OR	ON	2009/08/04 10:21
S161	1	"20050193103" and (key) and (request or reply or message)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:21
S162	1022011	(arrow)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:28
S163	16	(@ad<"20020911" or @rlad<"20020911") and (vpnnet)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:28
S164	13	(@ad<"20020911" or @rlad<"20020911") and (vpnnet) and (request or message or reply\$6 or coordinat\$6 or co-ordinat\$6 or sync\$10)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:30
S165	146	(@ad<"20020911" or @rlad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (creat\$5 or setup or set-up or (set near up) or config\$10) with (virtual adj private adj network or vpn))	US-PGPUB; USPAT	OR	ON	2009/08/04 10:46

S166	104	((@ad<"20020911" or @rlad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (creat\$5 or setup or set-up or (set near up) or config\$10) with (virtual adj private adj network or vpn)) and (key)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:46
S167	87	((@ad<"20020911" or @rlad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (creat\$5 or setup or set-up or (set near up) or config\$10) with (virtual adj private adj network or vpn)) and (key) and (request\$3)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:47
S168	126	((@ad<"20020911" or @rlad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (creat\$5 or setup or set-up or (set near up) or config\$10) with ((virtual adj private adj network) or vpn or ipsec)) and (key) and (request\$3)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:50
S169	69	((@ad<"20020911" or @rlad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (creat\$5 or setup or set-up or (set near up) or config\$10) near3 ((virtual adj private adj network) or vpn or ipsec)) and (key) and (request\$3)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:50
S170	70	((@ad<"20020911" or @rlad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (creat\$5 or setup or set-up or (set near up) or config\$10) near5 ((virtual adj private adj network) or vpn or ipsec)) and (key) and (request\$3)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:51
S171	84	((@ad<"20020911" or @rlad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (establish\$4 or creat\$5 or setup or set-up or (set near up) or config\$10) near5 ((virtual adj private adj network) or vpn or ipsec)) and (key) and (request\$3)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:53

S172	1	((@ad<"20020911" or @riad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (establish\$4 or creat\$5 or setup or set-up or (set near up) or config \$10) near5 ((virtual adj private adj network) or vpn or ipsec)) same (key) same (request\$3)	US-PGPUB; USPAT	OR	ON	2009/08/04 10:54
S173	8	((@ad<"20020911" or @riad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (establish\$4 or creat\$5 or setup or set-up or (set near up) or config \$10) near5 ((virtual adj private adj network) or vpn or ipsec)) same (request\$3) and (key)	US-PGPUB; USPAT	OR	ON	2009/08/04 11:04
S174	8	((@ad<"20020911" or @riad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (establish\$4 or creat\$5 or setup or set-up or (set near up) or config \$10) near5 ((virtual adj private adj network) or vpn or ipsec)) same (request\$3) and (key)	US-PGPUB; USPAT	OR	ON	2009/08/04 11:04
S175	1	"7447901".pn. and (ipsec)	US-PGPUB; USPAT	OR	ON	2009/08/04 13:41
S176	0	"7447901".pn. and (ipsec) and (spd)	US-PGPUB; USPAT	OR	ON	2009/08/04 13:41
S177	0	"7447901".pn. and (ipsec) and (inquir\$5 or query\$5)	US-PGPUB; USPAT	OR	ON	2009/08/04 13:41
S178	8	((@ad<"20020911" or @riad<"20020911") and ((dynamic\$6 or adhoc or on-demand) near3 (establish\$4 or creat\$5 or setup or set-up or (set near up) or config \$10) near5 ((virtual adj private adj network) or vpn or ipsec)) same (request\$3) and (key)	US-PGPUB; USPAT	OR	ON	2009/08/04 13:42
S179	2	(6157917 7447901).pn.	US-PGPUB; USPAT	OR	ON	2009/08/04 14:48
S180	2	(6157917 7447901).pn. and (vpn or config\$10 or setup\$5 or establish\$5)	US-PGPUB; USPAT	OR	ON	2009/08/04 14:50
S181	2	(6175917 7447901).pn. and (vpn or config\$10 or setup\$5 or establish\$5)	US-PGPUB; USPAT	OR	ON	2009/08/04 14:50

S182	1	"20040093524" and (spd) and sad	US-PGPUB; USPAT	OR	ON	2009/08/04 15:12
S183	0	"20040093524" and (inquiry)	US-PGPUB; USPAT	OR	ON	2009/08/04 15:22
S184	1	"20040093524" and (inquir \$6)	US-PGPUB; USPAT	OR	ON	2009/08/04 15:22
S185	1	(6175917 7447901).pn. and (inquir\$6 or quer\$6 or ask\$6 or prompt\$5)	US-PGPUB; USPAT	OR	ON	2009/08/04 15:23
S186	1	(6175917 7447901).pn. and (des or aes)	US-PGPUB; USPAT	OR	ON	2009/08/04 15:30
S187	2	(6175917 7447901).pn. and (des or aes or common or shared)	US-PGPUB; USPAT	OR	ON	2009/08/04 15:30
S188	2	(6175917 7447901).pn. and (address)	US-PGPUB; USPAT	OR	ON	2009/08/04 15:43
S189	2	(6175917 7447901).pn. and (address and config\$9)	US-PGPUB; USPAT	OR	ON	2009/08/04 15:48
S190	2	(6175917 7447901).pn. and (key)	US-PGPUB; USPAT	OR	ON	2009/08/04 15:56
S191	1	"20040093524"	US-PGPUB; USPAT	OR	ON	2010/04/05 16:51

4/ 9/ 2010 5:17:06 PM

C:\Documents and Settings\jpan\My Documents\EAST\Workspaces\10655372.wsp